Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Message Text

UNCLASSIFIED

ACTION ARA-14

INFO OCT-01 ISO-00 EB-08 /023 W
----------043111 131925Z /46
O R 131919Z JUN 78
FM AMEMBASSY PARAMARIBO
TO USDOC WASHDC IMMEDIATE
INFO SECSTATE WASHDC 4418

UNCLAS SECTION 1 OF 2 PARAMARIBO 863

E.O. 11652: N/A
TAGS: BEXP NS
SUBJ: FOREIGN CALL FOR TENDERS - SPECIAL HANDLING:
PRE-QUALIFICATION OF TENDERERS FOR MINING OPERATIONS

1. 315/01/T0002

2. 061378
3. A.A. JAP TJOEN SAN

4. SURINAM

5. N

6A. REPLY TO--

6B. -

6C. GRASSALCO N.V.
P.O. BOX 1893
PARAMARIBO, SURINAM

7. SUPPLY OF MINIST AND ORE TREATEMENT INSTALLATIONS
(SEE ITEM 10 FOR SPECIFIC DETAILS

UNCLASSIFIED

UNCLASSIFIED

8. BID DEADLINE: 071578. APPLICATIONS FOR PRE-QUALIFICATION
SHOULD BE FORWARDED TO N.V. GRASSALCO, P.O. BOX 1893,
GIVING THE FOLLOWING DETAILS:
A. IDENTIFICATION

NAME OF THE COMPANY OR ENTERPRISE, DATE OF ESTABLISHMENT,
COUNTRIES IN WHICH IT IS DOMICILED OR REGISTERED, REGISTERED OFFICE.

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

B. SUBJEC(S) IN WHICH APPLICANT IS INTERESTED

CLEAR INDICATION OF THE SUBJECT (S) DESCRIBED ABOVE, FOR WHICH PRECLAULIFICATION IS SOUGHT.

C. EXPERIENCE

DETAILS OF COMPARABLE CONTRACTS PERFORMED IN THE PAST.
REFERENCE.

D. PERFORMANCE CAPACITY

FACTORY AND CONSTRUCTION CAPACITIES.

SELECTION

FROM THE OFFERS RECEIVED A SELECTION OF PREQUALIFIED TENDERERS WILL BE MADE. EACH OF THEM WILL BE INVITED TO TENDER ON THE BASIS OF SPECIFICATION WHICH WILL YET BE MADE AVAILABLE. THE OTHER APPLICANTS WILL RECEIVE ADVICE OF NON-QUALIFICATION, WITHOUT REASONS GIVEN

10. SHORT DESCRIPTION OF TENDER:

A. MINING OPERATION BAKHUIS
UNCLASSIFIED

UNCLASSIFIED

1. A STATIONARY CHRUSHER INSTALLATION FOR SCREENING, TRANSPORTING, CRUSHING AND LOADING BAUXITE (GRANULAR, FROM CLAYEY TO RATHER HARD OR HARD LATERITIC IRON ORE, NOT STIFF BUT RATHER BRITTLE AND NO MASSIVE HAEMATITE, HAVING A MAXIMUM DIMENSION OF 1 CU.M)

THE AVERAGE CAPACITY OF THE INSTALLATION SHOULD BE 713 T/H

THE INSTALLATION SHOULD ALSO INCLUDE:

1.1 GRIZZLY, DIMENSIONS 1.00 X 0.90 M
1.2 HOPPER

1.3 FEEDER (WOBBLER)
1.4 CRUSHER
1.5 GEAR CASES AND V-ROPE DRIVE
1.6 CONVEYOR BELTS, 1,000 TO 1,500 T/H, LENGTH APPROX 80 M
1.7. ALL ELECTROMOTORS AND ELECTRICAL CONTROL EQUIPMENT.
1.8 TERMINAL FOR CONTINUOUS LOADING OF 75-TON GONDOLA CARS

2. WORKSHOP AND ADJOINING OFFICE SPACE, DIMENSIONS 50 X 20 X 10 (HEIGHT) M EQUIPPED WITH 20-TON CRANE.

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

SUITED FOR THE MAINTENANCE OF ORE TRANSPORT EQUIPMENT, BULLDOZERS,
JEEPS AND OTHER ROLLING STOCK, AS FOLLOWS:
2.1 SERVICE STATION FOR ORE TRANSPORT VEHICLES
2.2 SERVICE STATION FOR BULLDOZERS
2.3 SERVICE STATION FOR JEEPS
2.4 SERVICE STATION FOR OTHER ROLLING STOCK
2.5 DISMANTLING AND MOUNTING COMPONENTS
2.6 WELDING ALUMINUM BODIES
2.7 TIRE REPAIRS

3. AN ELECTRIC POWER STATION CONSISTING OF THREE UNITS AS FOLLOWS:
2 UNITS OF APPROX 300 KW AND
1 UNIT OF APPROX 100 KW
SUITED FOR PARALLEL AND CONTINOUS OPERATION
UNCLASSIFIED

UNCLASSIFIED

PAGE 04 PARAMA 00863 01 OF 02 131910Z

4. A SURFACE WATER PURIFICATION SYSTEM WITH A CAPACITY FROM 20 TO
25 CU.M. H FOR PURIFYING THE WATER OF THE MOZES CREEK AND
CONVERTING IT INTO DRINKING WATER.

UNCLASSIFIED

NNN

UNCLASSIFIED

PAGE 01 PARAMA 00863 02 OF 02 131946Z
ACTION ARA-14

INFO OCT-01 ISO-00 EB-08 /023 W
----------043386 132010Z /70
O R 131919Z JUN 78
FM AMEMBASSY PARAMARIBO
TO USDOC WASHDC IMMEDIATE
INFO SECSTATE WASHDC 4419

UNCLAS SECTION 2 OF 2 PARAMARIBO 863

B. APURA TRANSFER AND STORAGE STATION

STOCKPILING INSTALLATION FOR CHARGING 5,000 TON MINIBULK CARRIERS
HAVING A LOADING CAPACITY OF 500 T/H (V-1) WITH A CONVEYOR BELT
SYSTEM.

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

THE MATERIAL TO BE CHARGED IS CRUSHED, DRIED BAUXITE (6" AND FINER
WITH A HIMIDITY OF 8 PERCENT) AND WILL ARRIVE BY MEANS OF A CONVEYOR
BELT SYSTEM.

2. THE CONVEY BELT SYSTEM SHOULD CONSIST OF THE FOLLOWING BELTS:

	LENGTH IN M	DIFFERENCE IN HEIGHT M	CAPACITY T/H
1. N-1	50	5	1000-1500
2. N-2(TRIPPERSTACKER)	120	8	1000-1500
3. N-3	15	-	1000-1500
4. N-4	250	-	250
5. N-5(IN COMBINATION WITH KILN)		-	250
6. D-1	250	10	250
7. D-2 THR.D-4(SEE STORAGE #3$)			250
8. V-1 (SEE SHIPLOADING INSTALLATION)			500

UNCLASSIFIED

UNCLASSIFIED

PAGE 02 PARAMA 00863 02 OF 02 131946Z

9. V-2	150	10	500
10.V-3	350	-	500
11.V-4	100	-	500
12.V-5 THR. V-8(SEE STORAGE YARD)		1	500

N/WET CONVEYOR BELTS
D/DRY CONVEYOR BELTS (COVERED)
V/SHIPLOADING CONVEYOR BELTS(COVERED)

3. TWO STORAGE SHEDS HAVING A CAPACITY OF 20,000 TONS DRIED
BAXUITE EACH, COMPLETE WITH ROOF, WALL LININGS AND RAIN WATER
DRAINAGE SYSTEM. THE INSTALLATIONS SHOULD INCLUDE: THE CONVEYOR BELT
SYSTEM FOR THE SUPPLY AND DISTRIBUTION OF THE BAUXITE (D-2 THR.
D-4) AND THE CONVEYOR BELT SYSTEM FOR LOADING THE BAUXITE INTO
SHIPS (V-5-V-8 INCL.)
CAPACITY OF D-BELTS 250 T/H, THAT OF V-BELTS 500 T/H.
FOR LAYOUT SKETCH SEE ANNEX.

4. ROTARY DRYING KILN OPERATING ON THE CO-CURRENT PRINCIPLE,
CONSISTING OF:

4.1 ELECTRIC DRIVEN ROTARY DRYING KILN WITH EXCHANGEABLE
WEARING PLATES
4.2 LIFTERS AND, IF NECESSARY CHAIN.
4.3 FURNACE AND REFRACTORY LINING.
4.4 FEED-END EQUIPMENT (PAN FEEDER AND CHUTE).
4.5 DISCHARGE-END EQUIPMENT (CHUTE)
4.6. OIL BURNER EQUIPMENT AND PREHEATER SYSTEM FOR FUEL.

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

4.8 ELECTROSTATIC DUST COLLECTOR.
4.9 INSTRUMENTS FOR MANUAL OPERATION.

MATERIAL TO BE DRIED:
UNCLASSIFIED

BAUXITE, HARDNESS: MODERATE TO VERY HARD BUT WITH
10-20 PERCENT OF SOFTER CLAYEY MATERIAL. AVERAGE
IRON CONTENT RATHER HIGH 24 PERCENT FE2O3)
WATER CONTENT 12-16 PERCENT (BY WEIGHT)
BULK DENSITY, WET, CRUSHED 1.1 - 1.4 MT/ CU.M.
GRAIN SIZE TO 150MM EQUALS 6".
AVERAGE TEMPERATURE SURINAME CLUMATE 27 DEGREES C.

PRODUCTION SPECIFICATIONS:
MOISTURE CONTENT 8 PERCENT H2O
CAPACITY 250 T/H

5. TWO RELAIMERS WITH A CAPACITY OF 500 T/H EACH. ONE FOR RECLAIMING THE DRIED PRODUCT FROM THE KILN IN THE STORAGE SHED AND THE WET PRODUCT WITH A MOISTURE CONTENT OF APPROX 8 PERCENT FROM THE WET STOCKPILE.
ONE FOR RELCAIMING THE PRODUCT SUPPLIED WITH A MOISTURE CONTENT EXCEEDING 8 PERCENT FROM THE WET STOCKPILE TO THE KILN.

6. FACILITIES FOR WET STORAGE CONSISTING OF:
A SPREADER SYSTEM TRANSPORTING ABOUT 1,000 T/H BAUXITE FROM THE FEEDER OF THE TIPPLER TO THE WET STORAGE VIA A CONVEYOR BELT SYSTEM.

7. AN ELECTRIC POWER PLANT CONSISTING OF FOUR UNITS OF
APPROX 500 KW EACH, SUITABLE FOR CONTIUOUS AND PARALLEL OPERATION.

8. A SURFACE WATER PURIFICATION SYSTEM WITH A CAPACITY OF 20-25 CU.M/H

SUITABLE FOR PURIFYING THE WATER FROM THE CORANTIJN RIVER AND CONVERTING IT INTO DRIKING WATER.

THIS IS PART OF THE 1 BILLION DOLLAR WEST SURINAM
PROJECT. LORTON

UNCLASSIFIED

NNN

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 jan 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Draft Date: 13 jun 1978
Decaption Date: 01 jan 1960
Decaption Note:
Disposition Action: n/a
Disposition Approved on Date:
Disposition Case Number: n/a
Disposition Comment:
Disposition Date: 01 jan 1960
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1978PARAMA00863
Document Source: CORE
Document Unique ID: 00
Drafter: n/a
Enclosure: n/a
Executive Order: N/A
Errors: N/A
Expiration:
Film Number: D780247-0336
Format: TEL
From: PARAMARIBO
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1978/newtext/t19780665/aaaaceah.tel
Line Count: 267
Litigation Code IDs:
Litigation Codes:
Litigation History:
Locator: TEXT ON-LINE, ON MICROFILM
Message ID: cd53498a-c288-dd11-92da-001cc4696bcc
Office: ACTION ARA
Original Classification: UNCLASSIFIED
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 5
Previous Channel Indicators: n/a
Previous Classification: n/a
Previous Handling Restrictions: n/a
Reference: n/a
Retention: 0
Review Action: RELEASED, APPROVED
Review Content Flags:
Review Date: 29 mar 2005
Review Event:
Review Exemptions: n/a
Review Media Identifier:
Review Release Date: N/A
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
SAS ID: 2373418
Secure: OPEN
Status: NATIVE
Subject: FOREIGN CALL FOR TENDERS - SPECIAL HANDLING: PRE-QUALIFICATION OF TENDERERS FOR MINING OPERATIONS
TAGS: BEXP, NS
To: COM
Type: TE
vdkvgwkey: odbc://SAS/SAS.dbo.SAS_Docs/cd53498a-c288-dd11-92da-001cc4696bcc
Review Markings:
Sheryl P. Walter
Declassified/Released
US Department of State
EO Systematic Review
20 Mar 2014
Markings: Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014

Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014